


## Fiber Distribution Closures



**FPT-AA**



**FPT-AB**



**FPT-AC**



Available in 3 different heights with a maximum capacity of 2880 splices, with  $\mu$ -SMOUV sleeves.

Suitable for outdoor use with wall and pole mounting kits, it can support PLC splitter installation as well. UV resistant, RoHS compliant and IP68 certified solution.

Name	FPT-AA-BASIC					FPT-AB-BASIC					FPT-AC-BASIC				
Size	Ø300 x h380					Ø300 x h505					Ø300 x h630				
Part Nr	43-17.190.500-737					43-17.190.500-738					43-17.190.500-828				
Tray Pack	6					14					20				
	Tray Nr	Splitter Nr	Maximum Splices			Tray Nr	Splitter Nr	Maximum Splices			Tray Nr	Splitter Nr	Maximum Splices		
			Standard	$\mu$ -Smouv	ANT			Standard	$\mu$ -Smouv	ANT			Standard	$\mu$ -Smouv	ANT
STP6-24M	36			864	432	84			2016	1008	120			2880	1440
STP6-PLC	18	36		576	288	42	84		1344	673	60	120		1920	960
STP6-8S	36		288			84		672			120		960		
STP6-24S	18		432			42		1008			60		1440		

**Oval port heatshrink seal**



Size	Art.Nr.
-	43-17.750.500-789

**Round port heatshrink seal**




Size	Art.Nr.
-	43-17.750.500-770

**Pole mounting bracket**



Size	Art.Nr.
-	43-17.150.500-826

**Wall mounting bracket**



Size	Art.Nr.
-	43-17.150.500-654

**72 Splices STP3-24S**



Size	Art.Nr.
72	43-17.150.500-703

**72/144 Splices\* STP6-24M**



Size	Art.Nr.
72/144	43-17.150.500-700

**Heatshrink splice seams**




Size	Art.Nr.	Pcs.
1,0x45mm	27-010.1605	100pcs/bag

**6 PLC with 48/96 Splices STP3-PLC**




Size	Art.Nr.
48/96	43-17.150.500-701

**48 Splices STP6-8S**



Size	Art.Nr.
48	43-17.150.500-702

**Crimp splice seams**



Size	Art.Nr.	Pcs.
30x3x1,2mm	27-010.1614	150pcs/bag

**Round cold seal 8 ports**  
( Cable OD from 0 to 6 mm )



Size	Art.Nr.
8x6mm	43-17.750.500-761

**Round cold seal 4 ports**  
( Cable OD from 0 to 8 mm )



Size	Art.Nr.
4x8mm	43-17.750.500-634

**Round cold seal 4 ports**  
( Cable OD from 0 to 10 mm )



Size	Art.Nr.
4x10mm	43-17.190.500-A00

**Round cold seal 2 ports**  
( Cable OD from 7 to 12 mm )



Size	Art.Nr.
2x12mm	43-17.750.500-861

**Round cold seal 1 port**  
( Cable OD from 0 to 16 mm )



Size	Art.Nr.
1x16mm	43-17.750.500-862

**Oval cold seal 2 ports**  
( Cable OD from 0 to 16 mm )



Size	Art.Nr.
2x16mm	43-17.750.500-633